

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
1	338	306	32	5	Black-bellied Whistling-Duck	0%	0%	0.03%	3524%	1	12	3
2	333	358	-25	7	Fulvous Whistling-Duck	0%	0%	-0.00%	-100%	1	0	1
3	247	244	3	4	Greater White-fronted Goose	0%	0%	0.08%	65%	33	70	10
4	205	211	-6	3	Snow Goose	1%	0%	-0.03%	-5%	93	125	10
5	264	254	10	4	Ross's Goose	0%	0%	0.07%	86%	30	56	10
6	290	276	14	4	Brant	0%	0%	0.05%	178%	9	19	9
7	249	231	18	4	Cackling Goose	0%	0%	0.17%	141%	36	93	9
8	8	6	2	1	Canada Goose	41%	42%	1.16%	3%	240	240	10
9	96	109	-13	2	Mute Swan	4%	3%	-0.30%	-8%	228	239	10
10	173	132	41	3	Trumpeter Swan	1%	3%	1.32%	102%	161	234	10
11	185	184	1	3	Tundra Swan	1%	1%	0.14%	14%	102	125	10
12	39	39	0	2	Wood Duck	13%	13%	0.42%	3%	217	237	10
13	103	92	11	2	Gadwall	3%	4%	0.85%	25%	163	195	10
14	283	286	-3	4	Eurasian Wigeon	0%	0%	0.03%	81%	14	21	9
15	112	118	-6	3	American Wigeon	3%	3%	-0.13%	-4%	161	187	10
16	78	90	-12	2	American Black Duck	5%	5%	-0.88%	-16%	187	214	10
17	11	12	-1	1	Mallard	34%	35%	0.08%	0%	240	240	10
18	88	81	7	2	Blue-winged Teal	5%	5%	0.51%	11%	157	177	10
19	340	351	-11	6	Cinnamon Teal	0%	0%	0.00%	#DIV/0!	0	1	1
20	95	95	0	2	Northern Shoveler	4%	4%	0.45%	12%	181	207	10
21	146	152	-6	3	Northern Pintail	2%	2%	0.07%	4%	149	180	10
22	341	285	56	4	Garganey	0%	0%	0.06%	#DIV/0!	0	3	1
23	118	111	7	2	Green-winged Teal	3%	3%	0.58%	21%	180	215	10
24	152	166	-14	3	Canvasback	2%	2%	-0.16%	-10%	106	127	10
25	108	128	-20	3	Redhead	3%	3%	-0.55%	-17%	134	173	10
26	79	89	-10	2	Ring-necked Duck	5%	5%	-0.74%	-14%	152	176	10
27	187	197	-10	3	Greater Scaup	1%	1%	-0.09%	-10%	90	133	10
28	84	99	-15	2	Lesser Scaup	5%	4%	-0.81%	-17%	144	168	10
29	318	311	7	5	King Eider	0%	0%	0.02%	265%	3	2	4
30	328	359	-31	6	Common Eider	0%	0%	-0.00%	-100%	1	0	1
31	306	343	-37	5	Harlequin Duck	0%	0%	-0.01%	-74%	5	2	6
32	224	217	7	3	Surf Scoter	0%	0%	0.12%	41%	63	90	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
33	233	230	3	4	White-winged Scoter	0%	0%	0.09%	40%	45	82	10
34	248	233	15	4	Black Scoter	0%	0%	0.16%	128%	36	59	10
35	241	242	-1	4	Long-tailed Duck	0%	0%	0.05%	27%	40	52	10
36	86	88	-2	2	Bufflehead	5%	5%	0.03%	1%	131	144	10
37	140	158	-18	3	Common Goldeneye	2%	2%	-0.19%	-9%	107	121	10
38	82	80	2	2	Hooded Merganser	5%	5%	0.01%	0%	191	230	10
39	162	181	-19	3	Common Merganser	1%	1%	-0.18%	-13%	110	151	10
40	107	108	-1	2	Red-breasted Merganser	3%	3%	0.13%	4%	150	170	10
41	94	82	12	2	Ruddy Duck	4%	5%	1.09%	28%	185	211	10
42	212	234	-22	4	Northern Bobwhite	0%	0%	-0.20%	-43%	88	109	10
43	167	196	-29	3	Ring-necked Pheasant	1%	1%	-0.49%	-37%	164	200	10
44	252	272	-20	4	Ruffed Grouse	0%	0%	-0.02%	-22%	26	53	10
45	129	122	7	3	Wild Turkey	2%	3%	0.55%	24%	209	240	10
46	253	262	-9	4	Red-throated Loon	0%	0%	0.01%	7%	25	37	10
47	342	289	53	4	Pacific Loon	0%	0%	0.06%	#DIV/0!	0	7	3
48	136	140	-4	3	Common Loon	2%	2%	0.13%	7%	124	158	10
49	61	59	2	2	Pied-billed Grebe	8%	9%	0.75%	9%	238	240	10
50	130	124	6	3	Horned Grebe	2%	3%	0.55%	24%	109	146	10
51	246	261	-15	4	Red-necked Grebe	0%	0%	-0.00%	-3%	26	39	10
52	276	274	2	4	Eared Grebe	0%	0%	0.03%	53%	18	28	10
53	314	302	12	5	Western Grebe	0%	0%	0.02%	222%	2	6	3
54	343	336	7	5	Wood Stork	0%	0%	0.01%	#DIV/0!	0	2	1
55	302	360	-58	5	Northern Gannet	0%	0%	-0.02%	-100%	5	0	3
56	59	52	7	2	Double-crested Cormorant	8%	10%	1.88%	23%	217	232	10
57	237	252	-15	4	American White Pelican	0%	0%	-0.02%	-13%	59	50	10
58	329	319	10	5	Brown Pelican	0%	0%	0.01%	433%	1	4	3
59	225	238	-13	4	American Bittern	0%	0%	-0.04%	-14%	48	75	10
60	270	235	35	4	Least Bittern	0%	0%	0.19%	250%	22	62	10
61	20	17	3	2	Great Blue Heron	24%	27%	2.98%	12%	240	240	10
62	70	60	10	2	Great Egret	6%	8%	2.07%	33%	166	180	10
63	189	195	-6	3	Snowy Egret	1%	1%	0.02%	2%	78	106	10
64	228	239	-11	4	Little Blue Heron	0%	0%	-0.01%	-3%	50	48	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
65	301	291	10	4	Tricolored Heron	0%	0%	0.03%	170%	6	7	6
66	344	357	-13	7	Reddish Egret	0%	0%	0.00%	#DIV/0!	0	1	1
67	257	259	-2	4	Cattle Egret	0%	0%	0.03%	31%	30	55	10
68	81	83	-2	2	Green Heron	5%	5%	-0.20%	-4%	129	137	10
69	181	180	1	3	Black-crowned Night-Heron	1%	1%	0.25%	25%	144	208	10
70	259	283	-24	4	Yellow-crowned Night-Heron	0%	0%	-0.03%	-33%	30	41	10
71	345	339	6	5	White Ibis	0%	0%	0.01%	#DIV/0!	0	2	2
72	271	294	-23	4	Glossy Ibis	0%	0%	-0.03%	-45%	13	15	9
73	287	282	5	4	White-faced Ibis	0%	0%	0.04%	133%	6	12	8
74	193	177	16	3	Black Vulture	1%	1%	0.61%	87%	129	229	10
75	23	19	4	2	Turkey Vulture	21%	24%	3.23%	15%	225	240	10
76	144	134	10	3	Osprey	2%	3%	0.62%	32%	145	158	10
77	330	355	-25	6	Swallow-tailed Kite	0%	0%	-0.00%	-67%	3	1	2
78	263	287	-24	4	Golden Eagle	0%	0%	-0.03%	-32%	30	43	10
79	294	300	-6	5	Mississippi Kite	0%	0%	0.01%	40%	8	9	5
80	111	115	-4	3	Northern Harrier	3%	3%	-0.07%	-2%	216	227	10
81	132	157	-25	3	Sharp-shinned Hawk	2%	2%	-0.32%	-15%	199	228	10
82	65	64	1	2	Cooper's Hawk	8%	8%	0.17%	2%	237	240	10
83	291	323	-32	5	Northern Goshawk	0%	0%	-0.01%	-47%	11	15	10
84	71	58	13	2	Bald Eagle	6%	9%	2.57%	42%	234	240	10
85	85	86	-1	2	Red-shouldered Hawk	5%	5%	0.13%	3%	232	240	10
86	180	198	-18	3	Broad-winged Hawk	1%	1%	-0.18%	-18%	93	126	10
87	332	354	-22	6	Swainson's Hawk	0%	0%	-0.00%	-53%	1	1	2
88	29	28	1	2	Red-tailed Hawk	18%	19%	0.91%	5%	240	240	10
89	188	199	-11	3	Rough-legged Hawk	1%	1%	-0.08%	-9%	100	122	10
90	317	347	-30	5	Yellow Rail	0%	0%	-0.00%	-61%	9	2	6
91	334	330	4	5	Black Rail	0%	0%	0.01%	781%	1	6	3
92	258	281	-23	4	King Rail	0%	0%	-0.03%	-31%	19	22	9
93	207	206	1	3	Virginia Rail	0%	1%	0.14%	28%	73	123	10
94	164	176	-12	3	Sora	1%	1%	-0.04%	-3%	84	122	10
95	335	316	19	5	Purple Gallinule	0%	0%	0.02%	1485%	1	5	3
96	203	191	12	3	Common Gallinule	1%	1%	0.46%	89%	72	113	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
97	56	57	-1	2	American Coot	9%	9%	0.12%	1%	219	233	10
98	182	179	3	3	Sandhill Crane	1%	1%	0.26%	26%	132	209	10
99	210	205	5	3	Black-bellied Plover	0%	1%	0.17%	35%	89	97	10
100	216	221	-5	3	American Golden-Plover	0%	0%	-0.01%	-2%	70	92	10
101	346	340	6	5	Snowy Plover	0%	0%	0.01%	#DIV/0!	0	1	1
102	158	144	14	3	Semipalmated Plover	2%	2%	0.48%	30%	106	112	10
103	297	310	-13	5	Piping Plover	0%	0%	0.00%	16%	8	11	7
104	25	23	2	2	Killdeer	20%	21%	1.17%	6%	226	235	10
105	286	298	-12	4	Black-necked Stilt	0%	0%	0.01%	27%	8	17	6
106	250	248	2	4	American Avocet	0%	0%	0.07%	58%	48	67	10
107	91	91	0	2	Spotted Sandpiper	4%	4%	0.26%	6%	128	137	10
108	121	120	1	3	Solitary Sandpiper	3%	3%	0.32%	12%	108	114	10
109	117	119	-2	3	Greater Yellowlegs	3%	3%	0.18%	7%	149	153	10
110	254	249	5	4	Willet	0%	0%	0.08%	74%	38	60	10
111	109	101	8	2	Lesser Yellowlegs	3%	4%	0.75%	23%	141	151	10
112	267	257	10	4	Upland Sandpiper	0%	0%	0.06%	75%	32	43	10
113	293	278	15	4	Whimbrel	0%	0%	0.04%	192%	13	29	9
114	265	275	-10	4	Hudsonian Godwit	0%	0%	-0.01%	-9%	28	25	10
115	268	255	13	4	Marbled Godwit	0%	0%	0.07%	89%	34	49	10
116	215	229	-14	3	Ruddy Turnstone	0%	0%	-0.11%	-26%	54	63	10
117	251	268	-17	4	Red Knot	0%	0%	-0.02%	-18%	43	31	10
118	211	213	-2	3	Sanderling	0%	0%	-0.01%	-3%	77	100	10
119	168	154	14	3	Semipalmated Sandpiper	1%	2%	0.52%	40%	103	101	10
120	231	256	-25	4	Western Sandpiper	0%	0%	-0.08%	-35%	44	56	10
121	127	116	11	3	Least Sandpiper	2%	3%	0.61%	25%	132	145	10
122	229	222	7	3	White-rumped Sandpiper	0%	0%	0.11%	45%	73	86	10
123	227	227	0	4	Baird's Sandpiper	0%	0%	0.03%	12%	51	57	10
124	131	138	-7	3	Pectoral Sandpiper	2%	2%	0.04%	2%	135	137	10
125	292	292	0	4	Purple Sandpiper	0%	0%	0.02%	84%	7	19	8
126	160	148	12	3	Dunlin	1%	2%	0.51%	34%	125	134	10
127	201	209	-8	3	Stilt Sandpiper	1%	1%	0.04%	7%	75	84	10
128	238	247	-9	4	Buff-breasted Sandpiper	0%	0%	-0.00%	-0%	20	25	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
129	289	321	-32	5	Ruff	0%	0%	-0.01%	-46%	7	6	6
130	186	187	-1	3	Short-billed Dowitcher	1%	1%	0.11%	12%	87	90	10
131	243	250	-7	4	Long-billed Dowitcher	0%	0%	0.02%	13%	58	72	10
132	166	160	6	3	Wilson's Snipe	1%	2%	0.31%	23%	140	189	10
133	176	171	5	3	American Woodcock	1%	1%	0.29%	25%	118	156	10
134	236	241	-5	4	Wilson's Phalarope	0%	0%	0.04%	18%	54	58	10
135	256	246	10	4	Red-necked Phalarope	0%	0%	0.09%	92%	35	47	10
136	279	296	-17	4	Red Phalarope	0%	0%	-0.00%	-10%	8	14	8
137	284	313	-29	5	Black-legged Kittiwake	0%	0%	-0.01%	-23%	6	14	6
138	313	295	18	4	Sabine's Gull	0%	0%	0.03%	317%	3	7	5
139	100	94	6	2	Bonaparte's Gull	4%	4%	0.66%	19%	191	212	10
140	347	299	48	5	Black-headed Gull	0%	0%	0.03%	#DIV/0!	0	14	5
141	272	277	-5	4	Little Gull	0%	0%	0.00%	2%	22	22	9
142	269	280	-11	4	Laughing Gull	0%	0%	-0.01%	-13%	30	31	10
143	260	251	9	4	Franklin's Gull	0%	0%	0.09%	94%	27	56	10
144	348	279	69	4	Black-tailed Gull	0%	0%	0.07%	#DIV/0!	0	12	2
145	349	352	-3	6	Mew Gull	0%	0%	0.00%	#DIV/0!	0	1	1
146	28	25	3	2	Ring-billed Gull	18%	20%	1.82%	10%	240	240	10
147	309	324	-15	5	California Gull	0%	0%	0.00%	19%	5	11	7
148	63	53	10	2	Herring Gull	8%	10%	1.94%	25%	235	240	10
149	282	288	-6	4	Thayer's Gull	0%	0%	0.02%	63%	11	30	10
150	261	263	-2	4	Iceland Gull	0%	0%	0.03%	29%	20	48	10
151	223	207	16	3	Lesser Black-backed Gull	0%	1%	0.30%	100%	65	139	10
152	240	243	-3	4	Glaucous Gull	0%	0%	0.03%	16%	38	70	10
153	161	165	-4	3	Great Black-backed Gull	1%	2%	0.08%	5%	169	203	10
154	315	361	-46	6	Sooty Tern	0%	0%	-0.01%	-100%	2	0	1
155	350	318	32	5	Least Tern	0%	0%	0.02%	#DIV/0!	0	4	3
156	141	145	-4	3	Caspian Tern	2%	2%	0.11%	6%	118	137	10
157	220	240	-20	4	Black Tern	0%	0%	-0.09%	-26%	56	53	10
158	179	172	7	3	Common Tern	1%	1%	0.40%	39%	102	142	10
159	351	344	7	6	Arctic Tern	0%	0%	0.00%	#DIV/0!	0	2	2
160	183	189	-6	3	Forster's Tern	1%	1%	0.02%	2%	100	125	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
161	352	308	44	5	Royal Tern	0%	0%	0.03%	#DIV/0!	0	3	2
162	281	271	10	4	Pomarine Jaeger	0%	0%	0.05%	152%	8	25	8
163	295	301	-6	5	Parasitic Jaeger	0%	0%	0.01%	40%	6	16	8
164	337	362	-25	7	Long-tailed Jaeger	0%	0%	-0.00%	-100%	2	0	2
165	52	55	-3	2	Rock Pigeon	10%	9%	-0.74%	-8%	239	240	10
166	319	293	26	4	Eurasian Collared-Dove	0%	0%	0.04%	599%	5	41	6
167	331	325	6	5	White-winged Dove	0%	0%	0.01%	528%	2	5	6
168	5	5	0	1	Mourning Dove	46%	44%	-2.40%	-5%	240	240	10
169	101	137	-36	3	Yellow-billed Cuckoo	4%	2%	-1.17%	-33%	113	116	10
170	192	203	-11	3	Black-billed Cuckoo	1%	1%	-0.05%	-7%	72	94	10
171	277	284	-7	4	Barn Owl	0%	0%	0.02%	36%	15	38	10
172	165	161	4	3	Eastern Screech-Owl	1%	2%	0.26%	19%	159	227	10
173	156	139	17	3	Great Horned Owl	2%	2%	0.56%	34%	199	236	10
174	275	258	17	4	Snowy Owl	0%	0%	0.08%	160%	14	29	8
175	353	353	0	6	Burrowing Owl	0%	0%	0.00%	#DIV/0!	0	1	1
176	153	156	-3	3	Barred Owl	2%	2%	0.13%	8%	182	236	10
177	234	253	-19	4	Long-eared Owl	0%	0%	-0.05%	-26%	44	67	10
178	214	210	4	3	Short-eared Owl	0%	1%	0.08%	19%	71	110	10
179	245	267	-22	4	Northern Saw-whet Owl	0%	0%	-0.03%	-23%	35	53	10
180	145	169	-24	3	Common Nighthawk	2%	1%	-0.42%	-22%	118	115	10
181	298	305	-7	5	Chuck-will's-widow	0%	0%	0.01%	32%	6	21	10
182	232	226	6	4	Eastern Whip-poor-will	0%	0%	0.12%	55%	30	51	10
183	38	36	2	2	Chimney Swift	14%	14%	-0.09%	-1%	133	139	10
184	57	62	-5	2	Ruby-throated Hummingbird	9%	8%	-0.59%	-7%	116	125	10
185	308	363	-55	6	Anna's Hummingbird	0%	0%	-0.01%	-100%	3	0	1
186	273	269	4	4	Rufous Hummingbird	0%	0%	0.03%	42%	21	30	10
187	354	332	22	5	Allen's Hummingbird	0%	0%	0.01%	#DIV/0!	0	3	1
188	43	44	-1	2	Belted Kingfisher	12%	12%	0.16%	1%	240	240	10
189	102	113	-11	2	Red-headed Woodpecker	3%	3%	-0.31%	-9%	222	238	10
190	9	11	-2	1	Red-bellied Woodpecker	36%	36%	-0.37%	-1%	240	240	10
191	125	127	-2	3	Yellow-bellied Sapsucker	3%	3%	0.28%	11%	158	191	10
192	324	364	-40	6	Red-naped Sapsucker	0%	0%	-0.00%	-100%	2	0	1

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
193	6	8	-2	1	Downy Woodpecker	42%	40%	-1.74%	-4%	240	240	10
194	35	43	-8	2	Hairy Woodpecker	15%	12%	-2.82%	-19%	240	240	10
195	21	24	-3	2	Northern Flicker	23%	20%	-2.62%	-11%	240	240	10
196	58	65	-7	2	Pileated Woodpecker	8%	8%	-0.39%	-5%	236	240	10
197	73	79	-6	2	American Kestrel	6%	5%	-0.93%	-15%	239	240	10
198	199	208	-9	3	Merlin	1%	1%	0.03%	6%	96	167	10
199	204	188	16	3	Peregrine Falcon	1%	1%	0.53%	105%	130	218	10
200	299	328	-29	5	Prairie Falcon	0%	0%	-0.01%	-45%	9	2	5
201	235	232	3	4	Olive-sided Flycatcher	0%	0%	0.08%	40%	34	55	10
202	50	54	-4	2	Eastern Wood-Pewee	10%	9%	-0.53%	-5%	116	121	10
203	221	215	6	3	Yellow-bellied Flycatcher	0%	0%	0.14%	46%	37	53	10
204	93	106	-13	2	Acadian Flycatcher	4%	3%	-0.54%	-13%	96	104	10
205	222	223	-1	3	Alder Flycatcher	0%	0%	0.04%	13%	36	52	10
206	110	110	0	2	Willow Flycatcher	3%	3%	0.23%	7%	84	94	10
207	147	151	-4	3	Least Flycatcher	2%	2%	0.10%	5%	73	105	10
208	355	348	7	6	Gray Flycatcher	0%	0%	0.00%	#DIV/0!	0	1	1
209	41	48	-7	2	Eastern Phoebe	12%	11%	-0.96%	-8%	182	209	10
210	310	329	-19	5	Say's Phoebe	0%	0%	0.00%	8%	6	3	3
211	356	349	7	6	Vermilion Flycatcher	0%	0%	0.00%	#DIV/0!	0	2	2
212	69	72	-3	2	Great Crested Flycatcher	6%	6%	-0.34%	-6%	104	110	10
213	357	342	15	5	Western Kingbird	0%	0%	0.00%	#DIV/0!	0	3	2
214	68	63	5	2	Eastern Kingbird	7%	8%	0.91%	13%	108	112	10
215	322	327	-5	5	Scissor-tailed Flycatcher	0%	0%	0.01%	187%	3	3	4
216	311	335	-24	5	Loggerhead Shrike	0%	0%	-0.00%	-35%	4	7	6
217	239	236	3	4	Northern Shrike	0%	0%	0.07%	39%	53	89	10
218	115	121	-6	3	White-eyed Vireo	3%	3%	-0.09%	-3%	114	124	10
219	262	264	-2	4	Bell's Vireo	0%	0%	0.03%	29%	20	49	10
220	113	125	-12	3	Yellow-throated Vireo	3%	3%	-0.22%	-7%	105	117	10
221	135	150	-15	3	Blue-headed Vireo	2%	2%	-0.17%	-8%	88	112	10
222	62	61	1	2	Warbling Vireo	8%	8%	0.26%	3%	111	118	10
223	191	192	-1	3	Philadelphia Vireo	1%	1%	0.19%	24%	47	56	10
224	49	50	-1	2	Red-eyed Vireo	11%	10%	-0.25%	-2%	114	120	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
225	4	3	1	1	Blue Jay	47%	46%	-1.11%	-2%	240	240	10
226	327	365	-38	6	Black-billed Magpie	0%	0%	-0.00%	-100%	2	0	1
227	12	10	2	1	American Crow	34%	37%	3.40%	10%	240	240	10
228	358	309	49	5	Fish Crow	0%	0%	0.03%	#DIV/0!	0	9	2
229	320	303	17	5	Common Raven	0%	0%	0.02%	373%	2	21	5
230	99	84	15	2	Horned Lark	4%	5%	1.41%	39%	225	240	10
231	67	66	1	2	Northern Rough-winged Swallow	7%	7%	0.18%	2%	130	145	10
232	126	100	26	2	Purple Martin	2%	4%	1.52%	61%	115	122	10
233	32	27	5	2	Tree Swallow	17%	19%	2.24%	13%	162	172	10
234	142	146	-4	3	Bank Swallow	2%	2%	0.07%	3%	100	117	10
235	42	35	7	2	Barn Swallow	12%	14%	2.43%	20%	133	148	10
236	178	175	3	3	Cliff Swallow	1%	1%	0.21%	18%	86	112	10
237	321	338	-17	5	Cave Swallow	0%	0%	-0.00%	-8%	2	4	3
238	26	21	5	2	Carolina Chickadee	19%	23%	4.00%	21%	240	240	10
239	19	22	-3	2	Black-capped Chickadee	25%	21%	-4.03%	-16%	240	240	10
240	14	14	0	1	Tufted Titmouse	31%	33%	2.71%	9%	240	240	10
241	90	98	-8	2	Red-breasted Nuthatch	4%	4%	-0.20%	-5%	178	218	10
242	13	15	-2	1	White-breasted Nuthatch	34%	32%	-1.08%	-3%	240	240	10
243	87	93	-6	2	Brown Creeper	5%	4%	-0.31%	-7%	198	217	10
244	37	37	0	2	House Wren	14%	13%	-0.36%	-3%	136	147	10
245	149	164	-15	3	Winter Wren	2%	2%	-0.22%	-12%	151	181	10
246	219	237	-18	4	Sedge Wren	0%	0%	-0.09%	-26%	66	88	10
247	184	174	10	3	Marsh Wren	1%	1%	0.43%	44%	104	147	10
248	22	29	-7	2	Carolina Wren	23%	18%	-4.40%	-19%	240	240	10
249	53	51	2	2	Blue-gray Gnatcatcher	9%	10%	0.97%	11%	120	126	10
250	74	78	-4	2	Golden-crowned Kinglet	6%	5%	-0.77%	-13%	161	166	10
251	72	75	-3	2	Ruby-crowned Kinglet	6%	5%	-0.52%	-9%	117	129	10
252	359	346	13	6	Northern Wheatear	0%	0%	0.00%	#DIV/0!	0	2	1
253	33	34	-1	2	Eastern Bluebird	16%	15%	-0.91%	-6%	240	240	10
254	360	345	15	6	Mountain Bluebird	0%	0%	0.00%	#DIV/0!	0	2	1
255	326	350	-24	6	Townsend's Solitaire	0%	0%	-0.00%	-42%	2	1	2
256	120	136	-16	3	Veery	3%	2%	-0.20%	-7%	78	104	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
257	197	183	14	3	Gray-cheeked Thrush	1%	1%	0.48%	72%	48	56	10
258	116	103	13	2	Swainson's Thrush	3%	4%	0.90%	32%	69	73	10
259	122	131	-9	3	Hermit Thrush	3%	3%	0.08%	3%	153	191	10
260	55	67	-12	2	Wood Thrush	9%	7%	-1.97%	-22%	121	126	10
261	2	2	0	1	American Robin	48%	51%	3.11%	6%	240	240	10
262	323	312	11	5	Varied Thrush	0%	0%	0.02%	470%	4	3	4
263	27	26	1	2	Gray Catbird	18%	20%	1.10%	6%	163	183	10
264	64	68	-4	2	Northern Mockingbird	8%	7%	-0.79%	-10%	240	240	10
265	80	77	3	2	Brown Thrasher	5%	5%	0.16%	3%	147	171	10
266	10	9	1	1	European Starling	36%	38%	1.11%	3%	240	240	10
267	190	186	4	3	American Pipit	1%	1%	0.20%	24%	111	163	10
268	325	326	-1	5	Bohemian Waxwing	0%	0%	0.01%	261%	2	3	5
269	47	41	6	2	Cedar Waxwing	11%	13%	1.59%	15%	215	240	10
270	209	218	-9	3	Lapland Longspur	0%	0%	-0.06%	-12%	78	110	10
271	361	337	24	5	Smith's Longspur	0%	0%	0.01%	#DIV/0!	0	3	2
272	217	204	13	3	Snow Bunting	0%	1%	0.31%	85%	66	95	10
273	97	107	-10	2	Ovenbird	4%	3%	-0.22%	-6%	95	121	10
274	213	216	-3	3	Worm-eating Warbler	0%	0%	0.01%	2%	52	67	10
275	154	173	-19	3	Louisiana Waterthrush	2%	1%	-0.26%	-15%	81	92	10
276	163	159	4	3	Northern Waterthrush	1%	2%	0.27%	20%	45	70	10
277	123	149	-26	3	Blue-winged Warbler	3%	2%	-0.61%	-24%	87	101	10
278	226	225	1	3	Golden-winged Warbler	0%	0%	0.05%	18%	25	33	10
279	105	102	3	2	Black-and-white Warbler	3%	4%	0.56%	17%	95	122	10
280	159	126	33	3	Prothonotary Warbler	2%	3%	1.21%	75%	82	100	10
281	316	366	-50	6	Swainson's Warbler	0%	0%	-0.01%	-100%	1	0	1
282	139	114	25	3	Tennessee Warbler	2%	3%	1.14%	57%	65	76	10
283	218	214	4	3	Orange-crowned Warbler	0%	0%	0.09%	24%	40	63	10
284	106	96	10	2	Nashville Warbler	3%	4%	0.84%	25%	69	81	10
285	244	245	-1	4	Connecticut Warbler	0%	0%	0.05%	28%	30	41	10
286	195	202	-7	3	Mourning Warbler	1%	1%	0.08%	12%	39	53	10
287	196	200	-4	3	Kentucky Warbler	1%	1%	0.11%	16%	56	78	10
288	44	40	4	2	Common Yellowthroat	12%	13%	1.11%	10%	132	149	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
289	104	129	-25	3	Hooded Warbler	3%	3%	-0.69%	-20%	106	109	10
290	83	73	10	2	American Redstart	5%	6%	0.79%	16%	105	126	10
291	312	270	42	4	Kirtland's Warbler	0%	0%	0.08%	830%	4	7	6
292	171	155	16	3	Cape May Warbler	1%	2%	0.53%	41%	55	62	10
293	172	185	-13	3	Cerulean Warbler	1%	1%	-0.21%	-16%	64	78	10
294	124	104	20	2	Northern Parula	3%	4%	1.16%	46%	97	115	10
295	92	85	7	2	Magnolia Warbler	4%	5%	0.76%	19%	77	88	10
296	150	143	7	3	Bay-breasted Warbler	2%	2%	0.37%	21%	56	60	10
297	134	130	4	3	Blackburnian Warbler	2%	3%	0.59%	28%	62	69	10
298	46	45	1	2	Yellow Warbler	11%	12%	0.52%	5%	112	116	10
299	114	105	9	2	Chestnut-sided Warbler	3%	4%	0.53%	18%	67	94	10
300	151	112	39	3	Blackpoll Warbler	2%	3%	1.42%	81%	58	75	10
301	137	133	4	3	Black-throated Blue Warbler	2%	3%	0.51%	25%	57	78	10
302	98	97	1	2	Palm Warbler	4%	4%	0.53%	14%	65	77	10
303	170	178	-8	3	Pine Warbler	1%	1%	-0.03%	-2%	113	141	10
304	48	46	2	2	Yellow-rumped Warbler	11%	12%	0.69%	6%	178	187	10
305	138	135	3	3	Yellow-throated Warbler	2%	2%	0.44%	22%	96	123	10
306	200	194	6	3	Prairie Warbler	1%	1%	0.35%	64%	58	91	10
307	362	333	29	5	Black-throated Gray Warbler	0%	0%	0.01%	#DIV/0!	0	1	1
308	363	341	22	5	Townsend's Warbler	0%	0%	0.01%	#DIV/0!	0	1	1
309	89	87	2	2	Black-throated Green Warbler	4%	5%	0.39%	9%	96	111	10
310	174	170	4	3	Canada Warbler	1%	1%	0.22%	18%	45	63	10
311	155	147	8	3	Wilson's Warbler	2%	2%	0.33%	20%	50	66	10
312	177	162	15	3	Yellow-breasted Chat	1%	2%	0.44%	38%	75	96	10
313	300	331	-31	5	Spotted Towhee	0%	0%	-0.01%	-58%	3	3	3
314	36	38	-2	2	Eastern Towhee	14%	13%	-0.60%	-4%	237	240	10
315	364	320	44	5	Cassin's Sparrow	0%	0%	0.02%	#DIV/0!	0	4	1
316	54	56	-2	2	American Tree Sparrow	9%	9%	-0.19%	-2%	137	149	10
317	34	33	1	2	Chipping Sparrow	16%	16%	0.39%	2%	184	225	10
318	274	273	1	4	Clay-colored Sparrow	0%	0%	0.02%	29%	16	29	10
319	40	42	-2	2	Field Sparrow	12%	12%	-0.35%	-3%	219	240	10
320	202	201	1	3	Vesper Sparrow	1%	1%	0.23%	43%	85	135	10

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
321	242	228	14	4	Lark Sparrow	0%	0%	0.14%	87%	33	68	10
322	365	317	48	5	Lark Bunting	0%	0%	0.02%	#DIV/0!	0	3	1
323	119	117	2	3	Savannah Sparrow	3%	3%	0.42%	16%	168	237	10
324	175	182	-7	3	Grasshopper Sparrow	1%	1%	-0.01%	-1%	88	109	10
325	208	224	-16	3	Henslow's Sparrow	0%	0%	-0.14%	-29%	74	89	10
326	280	290	-10	4	Le Conte's Sparrow	0%	0%	0.01%	33%	6	20	7
327	285	260	25	4	Nelson's Sparrow	0%	0%	0.10%	338%	9	28	10
328	157	153	4	3	Fox Sparrow	2%	2%	0.24%	15%	113	143	10
329	7	7	0	1	Song Sparrow	42%	41%	-0.89%	-2%	240	240	10
330	169	163	6	3	Lincoln's Sparrow	1%	2%	0.24%	19%	62	84	10
331	75	69	6	2	Swamp Sparrow	6%	6%	0.56%	10%	213	239	10
332	31	32	-1	2	White-throated Sparrow	17%	16%	-1.28%	-7%	176	183	10
333	288	304	-16	5	Harris's Sparrow	0%	0%	0.00%	6%	9	13	6
334	76	74	2	2	White-crowned Sparrow	6%	6%	0.01%	0%	165	169	10
335	366	314	52	5	Golden-crowned Sparrow	0%	0%	0.02%	#DIV/0!	0	13	4
336	24	31	-7	2	Dark-eyed Junco	21%	18%	-3.01%	-15%	189	215	10
337	194	193	1	3	Summer Tanager	1%	1%	0.26%	39%	75	101	10
338	77	76	1	2	Scarlet Tanager	6%	5%	-0.18%	-3%	109	119	10
339	296	367	-71	5	Western Tanager	0%	0%	-0.02%	-100%	3	0	1
340	1	1	0	1	Northern Cardinal	60%	58%	-2.13%	-4%	240	240	10
341	66	70	-4	2	Rose-breasted Grosbeak	8%	6%	-1.61%	-21%	120	133	10
342	230	212	18	3	Blue Grosbeak	0%	0%	0.24%	106%	43	95	10
343	51	47	4	2	Indigo Bunting	10%	11%	1.51%	15%	119	130	10
344	367	356	11	6	Painted Bunting	0%	0%	0.00%	#DIV/0!	0	1	1
345	198	190	8	3	Dickcissel	1%	1%	0.40%	68%	58	103	10
346	133	168	-35	3	Bobolink	2%	1%	-0.61%	-29%	95	121	10
347	15	13	2	1	Red-winged Blackbird	30%	34%	4.00%	13%	237	240	10
348	60	71	-11	2	Eastern Meadowlark	8%	6%	-1.88%	-24%	223	237	10
349	303	307	-4	5	Western Meadowlark	0%	0%	0.01%	68%	6	25	8
350	266	265	1	4	Yellow-headed Blackbird	0%	0%	0.03%	40%	10	32	9
351	148	142	6	3	Rusty Blackbird	2%	2%	0.32%	18%	137	157	10
352	304	322	-18	5	Brewer's Blackbird	0%	0%	-0.00%	-13%	5	14	8

Ohio Birds 10-Year Report (eBird data from 2003-2012 as of 6/26/2013)

Tax Seq	2003-2007 Rank	2008-2012 Rank	Chg in Rank	10-yr Diff Code	Species Name	2003-2007 % of Checklists	2008-2012 % of Checklists	Actual Change	% Change	2003-2007 Weeks Reported	2008-2012 Weeks Reported	2003-2012 Years Reported
353	17	18	-1	2	Common Grackle	27%	27%	-0.72%	-3%	240	240	10
354	30	30	0	2	Brown-headed Cowbird	18%	18%	0.45%	3%	226	239	10
355	128	123	5	3	Orchard Oriole	2%	3%	0.39%	16%	76	91	10
356	368	334	34	5	Bullock's Oriole	0%	0%	0.01%	#DIV/0!	0	2	1
357	45	49	-4	2	Baltimore Oriole	12%	11%	-0.58%	-5%	100	110	10
358	307	368	-61	5	Pine Grosbeak	0%	0%	-0.02%	-100%	3	0	1
359	143	167	-24	3	Purple Finch	2%	2%	-0.45%	-23%	171	219	10
360	18	20	-2	2	House Finch	27%	24%	-3.40%	-12%	240	240	10
361	305	266	39	4	Red Crossbill	0%	0%	0.09%	560%	6	26	7
362	339	219	120	4	White-winged Crossbill	0%	0%	0.37%	151526%	1	45	6
363	255	220	35	4	Common Redpoll	0%	0%	0.27%	251%	12	63	8
364	336	315	21	5	Hoary Redpoll	0%	0%	0.02%	1690%	1	10	4
365	206	141	65	3	Pine Siskin	0%	2%	1.65%	330%	88	151	10
366	3	4	-1	1	American Goldfinch	47%	45%	-1.96%	-4%	240	240	10
367	278	297	-19	4	Evening Grosbeak	0%	0%	-0.01%	-19%	8	14	7
368	16	16	0	2	House Sparrow	30%	32%	1.84%	6%	240	240	10